



## **SICHUAN JODA NEW MATERIALS CORP. CO., LTD.**

📍 Yuanjiaba Industrial Park, Guangyuan City, Sichuan Province, China  
🌐 [www.chinajoda.com](http://www.chinajoda.com)

## **TRADEMATT (HENAN) INDUSTRY CO., LTD.**

📍 **Headquarter:** Zhengzhou City, Henan Province, China  
📍 **Sichuan Branch:** Guangyuan City, Sichuan Province, China  
📍 **Singapore Branch:** Singapore  
☎️ +86 0371 5517 8216  
📞 +86 182 3695 8493  
✉️ [sales@cntradematt.com](mailto:sales@cntradematt.com) / [marketing@cntradematt.com](mailto:marketing@cntradematt.com)



# **Joda New Materials**

**Your Trusted Supplier of Aluminum Materials**



OUR COMPANY

Our factory covers a total area of approximately 90,000 square meters, with a production capacity of **300,000** tons per year. We specialize in aluminum coil, sheet, disc, etc.



OUR ADVANTAGES



25

High-precision aluminum plate and strip casting and rolling production lines



9

Annealing furnaces



3

Cold rolling and aluminum foil rolling production lines



3

Aluminum disc production lines



2

Stretching and straightening equipments



2


Cutting and slitting equipments



1

Color-coating production line

ALUMINUM COIL



Technical Parameters

|           |                                                               |
|-----------|---------------------------------------------------------------|
| Alloy     | 1050/1060/1100<br>3003/3105<br>5052/5754/5083<br>6061<br>8011 |
| Temper    | O/H12/H14/H16/H18<br>H22/H24/H26/H28<br>H32/H116/T6           |
| Thickness | 0.2-6mm                                                       |
| Width     | 80-1700mm                                                     |
| Surface   | Mill finish                                                   |
| Category  | Cold rolled (CC)&Hot rolled(DC)                               |

Main Applications

Building decoration: interior and exterior walls, roofs, cabinets;  
vehicle bodies, traffic signs, electronic products, etc.



ALUMINUM SHEET



Technical Parameters

|           |                                                               |
|-----------|---------------------------------------------------------------|
| Alloy     | 1050/1060/1100<br>3003/3105<br>5052/5754/5083<br>6061<br>8011 |
| Temper    | O/H12/H14/H16/H18<br>H22/H24/H26/H28<br>H32/H116/T6           |
| Thickness | 0.2-200mm                                                     |
| Width     | 80-1700mm                                                     |
| Length    | Customized according to customers' requirements               |
| Surface   | Mill finish                                                   |
| Category  | Cold rolled(CC)&Hot rolled(DC)                                |

Main Applications

Building decoration: interior and exterior walls, tables, doors; vehicle bodies, trays, elevators, etc.



ALUMINUM DISC



Technical Parameters


|           |                                |
|-----------|--------------------------------|
| Alloy     | 1050/1060/1100<br>3003<br>5052 |
| Temper    | O/H12/H14/H18/H22/H24/H32      |
| Thickness | 0.3-5mm                        |
| Diameter  | 80-1500mm                      |
| Category  | Cold rolled(CC)&Hot rolled(DC) |

Main Applications

Cooking utensils: pans, pots, pressure cookers, rice cookers; cups, lampshade, traffic signs, etc.



ALUMINUM COATED COIL




Technical Parameters


|                |                                     |
|----------------|-------------------------------------|
| Alloy          | 1050/1060/1100<br>3003/3105<br>5052 |
| Temper         | O/H12/H14/H22/H24/H26/H36           |
| Thickness      | 0.1-2.2mm                           |
| Width          | 80-1700mm                           |
| Surface        | Mill finish                         |
| Types of paint | PE/PVDF                             |
| Category       | Cold rolled (CC)&Hot rolled (DC)    |

Main Applications

Building decoration: roofs, ceilings, walls, airports and exhibition halls;  
truck bodies, etc.



ALUMINUM FOIL




Technical Parameters



|           |                                                       |
|-----------|-------------------------------------------------------|
| Alloy     | 1050/1060/1100/1235<br>3003/3004<br>5052<br>8011/8079 |
| Temper    | O/H14/H18/H22/H24/H26/H32/H34                         |
| Thickness | 0.006-0.2mm                                           |
| Width     | 250-1650mm                                            |
| Surface   | Mill finish                                           |
| Category  | Cold rolled (CC)&Hot rolled (DC)                      |

Main Applications

Lunch boxes, food packaging, stove mats, air conditioners, cosmetic caps, bottle caps, medicines, etc.



ALUMINUM CHECKERED PLATE



Technical Parameters

|           |                                                 |
|-----------|-------------------------------------------------|
| Alloy     | 1050/1060/1100<br>3003                          |
| Temper    | O/H12/H14/H16/H18/H24/H26                       |
| Thickness | 0.8-5mm                                         |
| Width     | 500-1700mm                                      |
| Length    | Customized according to customers' requirements |
| Type      | Big&small 5 bars, 3bars, diamond, embossed etc. |
| Surface   | Mill finish&Bright finish                       |

Main Applications

Vehicle body trim, refrigerator lining, elevator connections, building decoration, etc.

